Date:

Monday, 02/03/2009 11:23:50 AM

User:

Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 46169

Estimate Number

P.O. Number

This Issue

: 02/03/2009

: NC

: // : 46031

: 10716

S.O. No. :

Type : MACHINED PARTS Part Number

Due Date

Drawing Name

: D3121241

Drawing Number

. D3121 REV E : N/A

: BEARING ASSEMBLY

Project Number

: E **Drawing Revision**

Material

: 16/03/2009

Qty:

Written By

Comment

Prsht Rev.

First Issue

Previous Run

Checked & Approved By

: Est Rev:A 04.02.18 New issue KJ/DS

Est Rev:B ECN 1060

07-11-12

DD verified by:EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

MDELRINR12500

DELRIN ROUND BAR 1.25"



Comment: Qty.:

0.0546 f(s)/Unit Total:

(M-DELRIN-R1.2500)Identify as D3121-25 M11025-6

1.0920 f(s)

09/03/08



2.0

HARDINGE

HARDINGE CNC LATHE SMALL



Material: Ø1.25 Delrin Rod

Comment: HARDINGE CNC LATHE SMALL

1-Turn D3121-25 Cap as per Folio FA387

\$ 09/03/08



3.0

QC2

2-Deburr

INSPECT PARTS AS THEY COME OFF MACHINE







Comment: INSPEC PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK





Comment: SECOND CHECK 5.0

G 10312123

Bearing



D3121-23

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

20.0000 Each(s)

Pick:

Qty Part Number

Description Batch Bearing ##

Page 1

Form: rprocess

Dart	Aeros	pace	Ltd
------	--------------	------	-----

W/O:			WO	RK ORDER CHANG	ES				<u>-</u>
DATE	STEP	PRO	OCEDURE CHAP	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #:							
NCR:	He	esolution:		ER NON-CONFORMA				Date: _	
NCA:									T
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	Sign Date				Approval QC Inspector
1.60									
· · · · · · · · · · · · · · · · · · ·									
			1						

NOTE: Date & initial all entries

Date: User: Job Number: Seq. #: 6.0 7.0

Monday, 02/03/2009 11:23:50 AM

Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BEARING ASSEMBLY

Job Number: 46169

Part Number: D3121241



Machine Or Operation:

Description:

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Press D3121-23 Bearing into D3121-25 Cap as per Dwg D3121

QC5

8.0

9.0

Job Completion

INSPECT WORK TO CURRENT STEP

Comment: INSPECT WORK TO CURRENT STEP

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock Location: 335A

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

u shoyy

11 11 11 11 09 loy 1/49

Dart Aerospace Ltd

W/O·

W/O:			WORK ORDER CHANGES					
DATE	STEP	Р	ROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
 -								
Part No	•	PAR #:	Fault Category:	NCR: Ye	es No DQ	A:	Date: _	
	Res	olution:	Disposition:	QA: N/C	Closed:		Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC		Corrective Action Section B		Verification	Anneoval	Ammuousel
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
							li .	
NOTE: D	 ate & initial a	all entries						

DART AEROSPACE LTD	Work Order: 14 (4)	
Description: Cap	Part Number: D3121-25	
Inspection Dwg: D3121 Rev: E	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article		Prototype
---	---------------	--	-----------

		1	Γ			
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.315	+/-0.010	, 347				-
Ø1.000	+/-0.010	1,002				
Ø0.838	+/-0.002	, 837				
R0.063	+/-0.010	,063				
R0.010	+/-0.010	1008				
0.230	+/-0.001	, 229				
Ø0.865	+/-0.001	, 864				
				_		

Measured by:	₩	Audited by:	Prototype Approval:	N/A
Date:	09/03/08	Date: 09/03/08	Date:	N/A


Rev	Date	Change	Revised by	Approved
Α	04.04.20	New Issue (P/O D3121-241)	KJ/RF	
В	06.06.09	Ø1.000 diameter was Ø1.024	KJ/JLM	
С	08.01.16	Dwg Rev. updated	KJ/EC/DD	77



 \bigoplus

(

DESIGN DRAWN BY		LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECH	KED	APPROVED	DRAWING NO. REV. E		
	#		D3121 SHEET 1 OF 10		
DATE			TITLE SCALE		
07.1	1.07		BRACKET ASSEMBLY 1:2		
Α		02.04.15	NEW ISSUE		
В		03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146		
C		04.02.17	ADD CLEARANCE; USE -241 BEARING		
D		06.05.17	D3121-25 CAP WAS 1.024, NOW 1.000		



- D3121-21 BOLT (1) D3121-241
BEARING ASSEMBLY (1)


D3121-11 BRACKET

D3121-041 BRACKET ASSEMBLY

07.11.07


(REPLACES PREMIER P/N B30-23000-33)

ADD TOLERANCE TO 0.032 (DETAIL B)



D3121-043 (SHOWN) / D3121-044 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)



D3121-15/-16 BRACKET


D3121-045 (SHOWN) / D3121-046 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-35/-36)

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE




DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROVED	DRAWING NO.	REV. E
4	#	D3121	SHEET 2 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
1 4	- 	D3121	SHEET 3 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1











DETAIL B: RIDGE DETAIL PARTIAL SECTION **SCALE 1:20**



SHOP COPY RETURN TO **ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED,	DRAWING NO.	REV. E
#	- #	D3121	SHEET 4 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1



D3121-11 BRACKET

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi MIN YIELD TENSILE = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY

RETURN TO

ENGINEERIN'G


UNCONTROLLED COPY

SUBJECT TO AMENDMENT

WITHOUT NOTICE



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
#	-#	D3121	SHEET 5 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-13 BRACKET (SHOWN) D3121-14 BRACKET (OPPOSITE)

1.800

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE STRENGTH = 150 ksi

MIN YIELD TENSILE STRENGTH = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015 5) ENGRAVE DART P/N & LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY


SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER NO. 4 LOCATION

Copyright © 2002 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
94		D3121	SHEET 6 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASS	SEMBLY 1:2



D3121-15 BRACKET (SHOWN) D3121-16 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N AND LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE

NO. HO HOR

Copyright @ 2002 by DART AEROSPACE LTD



DESIGN 4	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED _	APPROVED.	DRAWING NO.	REV. E
41	-	D3121	SHEET 7 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-111 BRACKET

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO

ENGINEERING


UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDY




DESIGN A DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
9#		D3121	SHEET 8 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN #	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED _	APPROVED,	DRAWING NO.	REV. E
4	- -	D3121	SHEET 9 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



Copyright @ 2002 by DART AEROSPACE LTD




	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
ı	CHECKED	APPROVED,	DRAWING NO.	REV. E
	4	#	D3121	SHEET 10 OF 10
ı	DATE		TITLE	SCALE
	07.11.07		BRACKET ASSEMBLY	1:1




D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



D3121-19 BEARING (SCALE 1:1)


- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES



D3121-23 BEARING (SCALE 1:1)


1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ

ALL DIMENSIONS ARE IN INCHES




D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



D3121-25 CAP (SCALE 1:1)

- 1) MATERIAL: DELRIN ROD, Ø1.25 (REF DART SPEC. M-DELRIN-R1.250)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS



D3121-241 BEARING ASSEBLY (SCALE 1:1)

Copyright @ 2002 by DART AEROSPACE LTD